

**GOVERNMENT OF TELANGANA**  
**ABSTRACT**

Minor Irrigation – Godavari Basin – “Mission Kakatiya Phase-II” - “Comprehensive Restoration of 02 Minor Irrigation Tanks in Khammam District for an amount of Rs.127.35 Lakhs – Administrative approval - Accorded – Orders - Issued.

---

**IRRIGATION & CAD (MI.T) DEPARTMENT**

**G.O.RT.No. 416**

**Dated: 18/04/2016**  
**Read the following**

1. From the Chief Engineer, Minor Irrigation (GB), Hyderabad Lr. No. DCE-II/ OT2/TO4/Mission Kakatiya-II/ Godavari Basin/ Khammam/ 2015-XII, Dated: 11.03.2016
2. Government Memo.No.2869/MI.T/A1/2016-2, Dt.18-04-2016.

\*\*\*

**ORDER:-**

Government of Telangana has taken-up restoration of all Minor Irrigation Tanks in the State of their original capacity and to effectively utilize the 265.00 TMC of water allocated for Minor Irrigation sector under Godavari & Krishna River Basins as a flagship programme under the name of “MISSION KAKATIYA”.

2. In the reference first read above, the Chief Engineer, Minor Irrigation (GB), Hyderabad has submitted proposal under Mission Kakatiya for “Comprehensive Restoration of 02 Minor Irrigation Tanks in Khammam District for an amount of Rs.191.14 Lakhs, for according administrative approval.

3. Government after careful examination of the matter, hereby accord administrative approval for an amount of Rs.127.35 Lakhs (Rupees One crore twenty seven lakhs and thirty five thousand only) towards “Comprehensive Restoration of 02 Minor Irrigation Tanks in Khammam District” under Mission Kakatiya Phase-II for the Financial Year 2016-17 subject to meeting the expenditure from the available budget within the overall ceiling of the department, and to ensuring the following and the statement showing the details of tanks proposed for restoration is annexed to this order:-

- a) That the cost of repairs indicated against each tank is arrived after thorough investigation and as per the actual requirement of components and quantities for restoration and all the provisions made including L.S. Provisions if any are in terms of the codal provisions and the guidelines issued in relation thereto, and that the provisions made towards de-siltation in the estimates are based on the pre-levels and prudent assessment of quantities involved.
- b) There is no overlap of proposed works under other sanctioned schemes and / or duplication.

(PTO)

4. The expenditure sanctioned in para (3) above shall be debited to the Head of Account "4702-00-101-11-23-530/531-O.E".

5. The Chief Engineer, Minor Irrigation (GB), Hyderabad, shall take necessary action accordingly, complete the work within the stipulated period and submit the utilization certificate to Government. The estimates received vide reference first read above are returned herewith and he is requested to acknowledge receipt of the same.

6. This order issues with the concurrence of Finance (EBS.IX) Department vide their U.O.No.4332/266/A2/EBS.IX/2016, Dated: 06.04.2016.

**(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)**

**S.K. JOSHI**

**PRINCIPAL SECRETARY TO GOVERNMENT**

To

The Chief Engineer, Minor Irrigation (GB), Hyderabad

**Copy to:-**

The Dist. Collector, Khammam District

The Finance (EBS.IX) Department.

The Accountant General, T.S. Hyderabad.

The Director of Works & Accounts, M.J. Market Road, T.S., Hyderabad.

PS to Hon'ble Minister (I. M, M&G and L A)

PS to Principal Secretary to Government, I & CAD Department.

PA to Joint Secretary to Government (T), I & CAD Department

The I & CAD (MI.G) Department

SF/SCs (C.No.2869/MI.T-A1/2016).

**//forwarded by order//**

**SECTION OFFICER**

Continued Annexure...

ANNEXURE Khammam District List-12											
Sno	unique I.D	Name of the Tank	Village	Mandal	Constituency	Longitude	Latitude	Ayacut	Estimate Cost		
									Cost for Repairs Rs in Lakhs	Cost for Desiltation Rs in Lakhs	Total cost Rs in Lakhs
1	2	3	4	5	6	7	8	9	10	11	12
1	101190802901804	Komaram Jogaiah Kunta	Kothuru	Dummugudem	Badrachalam	80-57-57	17-50-47	25.00	16.97	1.23	18.20
2	101171600901306	Rathi Cheruvu	Palwancha	Palwancha	Kothagudem	80-42-12	17-35-30	NA *	90.30	18.85	109.15
<b>Total</b>								<b>25.00</b>	<b>107.27</b>	<b>20.08</b>	<b>127.35</b>

\*It is in urban area and tank needs to be protected from encroachments.  
As such it is proposed even though there is no ayacut.

S.K. JOSHI  
PRINCIPAL SECRETARY TO GOVERNMENT

//forwarded by order//

SECTION OFFICER